


# Cisco and TerraWave Solutions

## NEMA Enclosure Solutions for Cisco WLAN Deployments



TerraWave Solutions is a Cisco Solution Technology Integrator (STI)



Cisco and TerraWave Solutions  
**NEMA Enclosure Solutions for Cisco WLAN Deployments**

**Table of Contents**

<b>Overview</b>		<b>Page 3</b>
<b>Enclosure Solutions - Each Kit Includes the Cisco 1232 Access Point</b>		
<b>TESSCO SKU</b>	<b>TerraWave SKU</b>	<b>Description</b>
312816	XHC1232-UL	16"x12"x8" UL Approved Steel Heated & Cooled Enclosure with Turn Key Lock
352693	XHC1232	16"x12"x8" Steel Heated & Cooled Enclosure with Turn Key Lock
322627	XPHC1232-L	14"x12"x6" Polycarbonate Heated & Cooled Enclosure with Latch Locks
342252	XPHC1232-C	14"x12"x6" Polycarbonate Heated & Cooled Enclosure with CAT60 Lock
382694	XSW1232	12"x10"x6" Steel Enclosure with Window and Turn Key Lock
342263	XSD1232	12"x10"x6" Steel Enclosure with Solid Door and Turn Key Lock
382067	XPC1232-L	12"x10"x6" Polycarbonate Enclosure with Clear Door and Latch Locks
382042	XPC1232-C	12"x10"x6" Polycarbonate Enclosure with Clear Door and CAT60 Lock
360345	XPS1232-L	12"x10"x6" Polycarbonate Enclosure with Solid Door and Latch Locks
302017	XPS1232-C	12"x10"x6" Polycarbonate Enclosure with Solid Door and CAT60 Lock
372307	XFW1232	12"x10"x6" Fiberglass Enclosure with Window and Latch Locks
352592	XFD1232	12"x10"x6" Fiberglass Enclosure with Solid Door and Latch Locks
302326	XCT1232	12"x24"x4" Steel Ceiling Tile Enclosure with Door Latch
392150	XCT1232-2	24"x24"x4" Steel Ceiling Tile Enclosure with Door Latch
<b>Enclosure Solutions - Each Kit Includes the Cisco 1131 Access Point</b>		
<b>TESSCO SKU</b>	<b>TerraWave SKU</b>	<b>Description</b>
432990	XPC1131-L	12"x10"x6" Polycarbonate Enclosure with Clear Door and Latch Locks
372264	XPC1131-C	12"x10"x6" Polycarbonate Enclosure with Clear Door and CAT60 Lock
483981	XPS1131-L	12"x10"x6" Polycarbonate Enclosure with Solid Door and Latch Locks
332546	XPS1131-C	12"x10"x6" Polycarbonate Enclosure with Solid Door and CAT60 Lock
392682	XV10102-C-1131	10"x10"x2" Clear Plastic Cover Enclosure
302440	XV10102-C-1131W	10"x10"x2" White Plastic Cover Enclosure
<b>Enclosure Solutions - Each Kit Includes the Cisco 1310 Bridge/Access Point</b>		
<b>TESSCO SKU</b>	<b>TerraWave SKU</b>	<b>Description</b>
463986	XPS1310	12"x10"x6" Polycarbonate Enclosure with Solid Door, Vents and Screw Locks. No Cable Assemblies are Included
428961	XPS1310-L	12"x10"x6" Polycarbonate Enclosure with Solid Door, Vents, Screw Locks and RPTNC Cable Assemblies
<b>Enclosure Solutions - Each Kit Includes the Cisco 1242 Access Point</b>		
<b>TESSCO SKU</b>	<b>TerraWave SKU</b>	<b>Description</b>
362222	XHC1242-U	16"x12"x8" UL Approved Steel Heated & Cooled Enclosure with Turn Key Lock
470908	XHC1242	16"x12"x8" Steel Heated & Cooled Enclosure with Turn Key Lock

*Continued on next page*

*Please note that each enclosure solution is delivered with its select Cisco AP or bridge.*



Cisco and TerraWave Solutions  
**NEMA Enclosure Solutions for Cisco WLAN Deployments**

**Table of Contents**  
(continued)

**Enclosure Solutions - Each Kit Includes the Cisco 1242 Access Point (Continued)** **Page 7**

<b>TESSCO SKU</b>	<b>TerraWave SKU</b>	<b>Description</b>
322628	XPHC1242-L	14"x12"x6" Polycarbonate Heated & Cooled Enclosure with Latch Locks
302831	XPHC1242-C	14"x12"x6" Polycarbonate Heated & Cooled Enclosure with CAT60 Lock
342873	XSW1242	12"x10"x6" Steel Enclosure with Window and Turn Key Lock
332221	XSD1242	12"x10"x6" Steel Enclosure with Solid Door and Turn Key Lock
429912	XPC1242-L	12"x10"x6" Polycarbonate Enclosure with Clear Door and Latch Locks
372336	XPC1242-C	12"x10"x6" Polycarbonate Enclosure with Clear Door and CAT60 Lock
428931	XPS1242-L	12"x10"x6" Polycarbonate Enclosure with Solid Door and Latch Locks
382982	XPS1242-C	12"x10"x6" Polycarbonate Enclosure with Solid Door and CAT60 Lock
352589	XFW1242	12"x10"x6" Fiberglass Enclosure with Window and Latch Locks
302853	XFD1242	12"x10"x6" Fiberglass Enclosure with Solid Door and Latch Locks
437949	XCT1242	12"x24"x4" Steel Ceiling Tile Enclosure with Door Latch
362364	XCT1242-2	24"x24"x4" Steel Ceiling Tile Enclosure with Door Latch
340527	TI24190AP1242	Integrated 2.4 GHz Antenna and Access Point Enclosure Solution
436947	TI58230AP1242	Integrated 5 GHz Antenna and Access Point Enclosure Solution

**Enclosure Solutions - Each Kit Includes the Cisco 1252 Access Point** **Page 8**

<b>TESSCO SKU</b>	<b>TerraWave SKU</b>	<b>Description</b>
352422	XPC1252-14-L	14"x12"x6" Polycarbonate Enclosure with Clear Door and Latch Locks
382509	XPC1252-14-C	14"x12"x6" Polycarbonate Enclosure with Clear Door and CAT60 Lock
332805	XPS1252-14-L	14"x12"x6" Polycarbonate Enclosure with Solid Door and Latch Locks
372235	XPS1252-14-C	14"x12"x6" Polycarbonate Enclosure with Solid Door and CAT60 Lock
302011	XPC1252-12-L	12"x10"x6" Polycarbonate Enclosure with Clear Door and Latch Locks
312305	XPC1252-12-C	12"x10"x6" Polycarbonate Enclosure with Clear Door and CAT60 Lock
332258	XPS1252-12-L	12"x10"x6" Polycarbonate Enclosure with Solid Door and Latch Locks
322041	XPS1252-12-C	12"x10"x6" Polycarbonate Enclosure with Solid Door and CAT60 Lock

**About TerraWave Solutions and the Cisco Solutions Technology Agreement** **Page 9**


*Please note that each enclosure solution is delivered with its select Cisco AP or bridge.*



## Cisco and TerraWave Solutions NEMA Enclosure Solutions for Cisco WLAN Deployments

### Overview

NEMA rated enclosures are commonly used in harsh environments or to protect wireless LAN equipment from tampering or theft. TerraWave's custom NEMA solutions make it easy to mount and protect Cisco wireless products in most every vertical market. From basic to completely customized, TerraWave offers NEMA accessories for any Cisco wireless application. Select from more than twenty Cisco approved NEMA solutions, each delivered complete with a select Cisco Aironet® access point. TerraWave offers enclosure solutions in a number of different materials to address specific application needs. Enclosures are available with accessories including mounting solutions, locks, screw down covers and heating and cooling elements to meet the specifications of any Cisco wireless deployment.



### Features and Benefits:

- Custom made for Cisco wireless products
- Cisco approved solutions
- Protects RF equipment from elements, theft and tampering
- Available in a variety of NEMA ratings
- A variety of custom options including heating and cooling elements
- Seams continuously welded and ground smooth
- Large opening simplifies component installation, maintenance or conversion
- Fastening holes on back of unit for direct Mounting
- Furnished hardware kit includes panel mounting screws and grounding hardware
- Diversity connections are included with all enclosures
- Additional accessories such as a thermostat, fan or heating unit are optional
- Create new deployment opportunities
- Excellent value. Superior performance at a competitive price

### Customized Options

Polycarbonate Plastic  
Fiberglass Assembly  
Steel Assembly


Thermostat  
Lightning Protection  
Power Source  
Antenna Splitter

Cooling Fan  
Heater  
External Mounts  
Key Lock

Cisco and TerraWave Solutions  
 NEMA Enclosure Solutions for Cisco WLAN Deployments

**Enclosure Solutions for the Cisco 1232 Access Point (802.11 a/g Dual Band)**

**Cisco 1232 AP**— With simultaneous support for both 2.4 GHz and 5 GHz radios, the Cisco Aironet 1200 Series preserves existing IEEE 802.11b investments and provides a migration path to future IEEE 802.11a and IEEE 802.11g technologies. Its modular design supports single- and dual-band configuration, plus the field upgradability to change these configurations as requirements change and technologies evolve.



**XHC1232**  
 16x12x8 Steel Heated & Cooled Enclosure—  
 Includes the Cisco 1232 Access Point



**XPS1232-C**  
 12x10x6 Steel Enclosure with Solid Door—  
 Includes the Cisco 1232 Access Point



**XCT1232**  
 12"x24"x4" Steel Ceiling Tile Enclosure—  
 Includes the Cisco 1232 Access Point



**XPC1232-L**  
 12x10x6 Polycarbonate Enclosure with Clear Door—  
 Includes the Cisco 1232 Access Point



**XPS1232-L**  
 12x10x6 Polycarbonate Enclosure with Solid Door—  
 Includes the Cisco 1232 Access Point

**Complete Cisco 1232 Access Point Enclosure Solutions**

TESSCO SKU	TerraWave SKU*	List Price	Dimensions	Enclosure Type	Door	NEMA Rating**	Holes for Jumpers	Indoor	Outdoor	Fan	Heat	Type of Lock
312816	XHC1232-UL	\$1,773.50	16"x12"x8"	UL Approved Steel Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Turn Key
352693	XHC1232	\$1,679.40	16"x12"x8"	Steel Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Turn Key
322627	XPHC1232-L	\$1,470.30	14"x12"x6"	Polycarbonate Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Latch
342252	XPHC1232-C	\$1,470.30	14"x12"x6"	Polycarbonate Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	CAT60
382694	XSW1232	\$1,471.90	12"x10"x6"	Steel	Window	NEMA 12	4	Yes	Yes	No	No	Turn Key
342263	XSD1232	\$1,368.85	12"x10"x6"	Steel	Solid	NEMA 4X	4	Yes	Yes	No	No	Turn Key
382067	XPC1232-L	\$1,239.25	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	4	Yes	Yes	No	No	Latch
382042	XPC1232-C	\$1,285.25	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	4	Yes	Yes	No	No	CAT60
360345	XPS1232-L	\$1,223.40	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	4	Yes	Yes	No	No	Latch
302017	XPS1232-C	\$1,279.55	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	4	Yes	Yes	No	No	CAT60
372307	XFW1232	\$1,485.80	12"x10"x5"	Fiberglass	Window	NEMA 4X	4	Yes	Yes	No	No	Latch
352592	XFD1232	\$1,404.60	12"x10"x5"	Fiberglass	Solid	NEMA 4X	4	Yes	Yes	No	No	Latch
302326	XCT1232	\$1,263.20	24"x12"x4"	Steel Ceiling Tile	Solid with Vents	NEMA 12	4	Yes	No	No	No	Door Latch
392150	XCT1232-2	\$1,338.20	24"x24"x4"	Steel Ceiling Tile	Solid with Vents	NEMA 12	4	Yes	No	No	No	Door Latch

\*All TerraWave enclosures have been modified to be deployed in Wi-Fi/WLAN applications  
 \*\* NEMA rating of enclosure only—before modifications and additions

Please note that each enclosure solution is delivered with its select Cisco AP or bridge and jumpers.  
 For details and images of each solution, visit [www.terrawave.com](http://www.terrawave.com).

Cisco and TerraWave Solutions  
**NEMA Enclosure Solutions for Cisco WLAN Deployments**

**Enclosure Solutions for the Cisco 1131 Access Point (802.11 a/g)**



**Cisco 1131 AP**—Cisco Aironet 1130AG Series IEEE 802.11a/b/g access points provide high-capacity, high-security, enterprise-class features in an unobtrusive, office-class design. Delivering WLAN access with the lowest total cost of ownership, its dual IEEE 802.11a and 802.11g radios provide a combined capacity of up to 108 Mbps to meet the needs of growing WLANs.



**XPC1131-L**  
 12x10x6 Polycarbonate Enclosure with Clear Door and Latch Locks – Includes the Cisco 1131 Access Point



**XPS1131-L**  
 12x10x6 Polycarbonate Enclosure with Clear Door and Latch Locks – Includes the Cisco 1131 Access Point



**XV10102-C-1131**  
 10x10x2 Clear Plastic Cover Enclosure— Includes the Cisco 1131 Access Point



**XV10102-C-1131W**  
 10x10x2 White Plastic Cover Enclosure— Includes the Cisco 1131 Access Point

**Complete Cisco 1131 Access Point Enclosure Solutions**

TESSCO SKU	TerraWave SKU*	List Price	Dimensions	Enclosure Type	Door	NEMA Rating**	Holes for Jumpers	Indoor	Outdoor	Fan	Heat	Type of Lock
432990	XPC1131-L	\$890.10	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	0	Yes	Yes	No	No	Latch
372264	XPC1131-C	\$936.10	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	0	Yes	Yes	No	No	CAT60
483981	XPS1131-L	\$874.25	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	0	Yes	Yes	No	No	Latch
332546	XPS1131-C	\$930.40	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	0	Yes	Yes	No	No	CAT60
392682	XV10102-C-1131	\$728.95	10"x10"x2"	Clear Plastic Cover	Clear Plastic Cover	None	0	Yes	No	No	No	N/A
302440	XV10102-C-1131W	\$728.95	10"x10"x2"	White Plastic Cover	White Plastic Cover	None	0	Yes	No	No	No	N/A

\*All TerraWave enclosures have been modified to be deployed in Wi-Fi/WLAN applications

\*\* NEMA rating of enclosure only—before modifications and additions

Please note that each enclosure solution is delivered with its select Cisco AP or bridge and jumpers. For details and images of each solution, visit [www.terrawave.com](http://www.terrawave.com).

Cisco and TerraWave Solutions  
**NEMA Enclosure Solutions for Cisco WLAN Deployments**

**Enclosure Solutions for the Cisco 1310 Wireless Bridge (802.11 b/g)**




**Cisco 1310 Wireless Bridge**—The Cisco Aironet 1310 Outdoor Access Point/Bridge provides high speed and cost-effective wireless connectivity between multiple fixed or mobile networks and clients. The flexibility of the device allows it to operate as a wireless bridge, access point, or workgroup bridge. The 1310 access point/bridge provides 54-Mbps data rates with a proven, secure technology. Based on the Cisco IOS operating system, the 1310 access point/bridge includes advanced features such as Fast Secure Layer 2 Roaming, CoS, and VLANs.



XPS1310-L

12x10x6 Polycarbonate Enclosure with Vents, Screw Locks and 2" Standoff Back Plate for Power Injector — Includes the Cisco 1310 Bridge / Access Point and (2) TWS-100 RPTNC Plug to RPTNC BH Jack Cable Assemblies



**Bottom View of the Cisco 1310 BR, Back Plate and Power Receptacle**

Important Installation Information: The power receptacle should be installed to the back plate first with screws. The bridge should then be secured to the back plate with screws prior to assembling the full components into the enclosure.

**Complete Cisco 1310 Bridge & Access Point Enclosure Solutions**

TESSCO SKU	TerraWave SKU*	List Price	Dimensions	Enclosure Type	Door	NEMA Rating**	Holes for Jumpers	Indoor	Outdoor	Fan	Heat	Type of Lock
463986	XPS1310	\$1,541.20	12"x10"x6"	Polycarbonate with Vents, Screw Locks and 2" Standoff Back Plate for Power Injector. Does Not Include Cable Assemblies.	Solid	NEMA 4X	2	Yes	Yes	No	No	Screw Locks
428961	XPS1310-L	\$1,565.80	12"x10"x6"	Polycarbonate with Vents, Screw Locks and 2" Standoff Back Plate for Power Injector. Includes (2) TWS-100 RPTNC Plug to RPTNC BH Jack Cable Assemblies	Solid	NEMA 4X	2	Yes	Yes	No	No	Screw Locks

\*All TerraWave enclosures have been modified to be deployed in Wi-Fi/WLAN applications  
 \*\* NEMA rating of enclosure only—before modifications and additions

Please note that each enclosure solution is delivered with its select Cisco AP or bridge and jumpers. For details and images of each solution, visit [www.terrawave.com](http://www.terrawave.com).



Cisco and TerraWave Solutions  
**NEMA Enclosure Solutions for Cisco WLAN Deployments**


**Enclosure Solutions for the Cisco 1242 Access Point (802.11 a/g Dual Band)**



**Cisco 1242 AP**— Cisco Aironet 1242 AG access point delivers the versatility, high capacity, security, and enterprise-class features demanded by WLAN customers. It is designed specifically for challenging RF environments like factories, warehouses, and large retail establishments that require the antenna versatility associated with connectorized antennas, a rugged metal enclosure, and a broad operating temperature range.



**XHC1242**  
 16x12x8 Steel Heated & Cooled Enclosure with Turn Key Lock— Includes the Cisco 1242 Access Point



**XPS1242-L**  
 12x10x6 Polycarbonate Enclosure with Solid Door and Latch Locks— Includes the Cisco 1242 Access Point



**TI24190AP1242**  
 2.4 GHz Integrated Antenna and Cisco 1242 AP Enclosure Solution— Includes the Cisco 1242 Access Point

**Complete Cisco 1242 Access Point Enclosure Solutions**

TESSCO SKU	TerraWave SKU*	List Price	Dimensions	Enclosure Type	Door	NEMA Rating**	Holes for Jumpers	Indoor	Outdoor	Fan	Heat	Type of Lock
362222	XHC1242-U	\$1,673.50	16"x12"x8"	UL Approved Steel Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Turn Key Lock
470908	XHC1242	\$1,579.40	16"x12"x8"	Steel Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Turn Key Lock
322628	XPHC1242-L	\$1,327.35	14"x12"x6"	Polycarbonate Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Latch
302831	XPHC1242-C	\$1,443.40	14"x12"x6"	Polycarbonate Heated & Cooled	Solid	NEMA 3R	4	Yes	Yes	Yes	Yes	Key Lock
342873	XSW1242	\$1,371.90	12"x10"x6"	Steel	Window	NEMA 12	4	Yes	Yes	No	No	Turn Key Lock
332221	XSD1242	\$1,268.85	12"x10"x6"	Steel	Solid	NEMA 4X	4	Yes	Yes	No	No	Turn Key Lock
429912	XPC1242-L	\$1,196.95	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	4	Yes	Yes	No	No	Latch
372336	XPC1242-C	\$1,189.00	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	4	Yes	Yes	No	No	CAT60
428931	XPS1242-L	\$1,127.15	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	4	Yes	Yes	No	No	Latch
382982	XPS1242-C	\$1,183.30	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	4	Yes	Yes	No	No	CAT60
352589	XFW1242	\$1,385.80	12"x10"x5"	Fiberglass	Window	NEMA 4X	4	Yes	Yes	No	No	Latch
302853	XFD1242	\$1,324.60	12"x10"x5"	Fiberglass	Solid	NEMA 4X	4	Yes	Yes	No	No	Latch
437949	XCT1242	\$1,163.20	12"x12"x4"	Steel Ceiling Tile	Solid with Vents	NEMA 12	4	Yes	Yes	No	No	Door Latch
362364	XCT1242-2	\$1,266.80	24"x24"x4"	Steel Ceiling Tile	Solid with Vents	NEMA 12	4	Yes	Yes	No	No	Door Latch
340527	TI24190AP1242	\$1,495.00	16"x16"x2"	Integrated 2.4 GHz Antenna and AP Solution	N/A	NEMA 3R	N/A	No	Yes	No	No	N/A
436947	TI58230AP1242	\$1,322.45	16"x16"x2"	Integrated 5 GHz Antenna and AP Solution	N/A	NEMA 3R	N/A	No	Yes	No	No	N/A

\*All TerraWave enclosures have been modified to be deployed in Wi-Fi/WLAN applications  
 \*\* NEMA rating of enclosure only—before modifications and additions

Please note that each enclosure solution is delivered with its select Cisco AP or bridge and jumpers. For details and images of each solution, visit [www.terrawave.com](http://www.terrawave.com).




Cisco and TerraWave Solutions  
**NEMA Enclosure Solutions for Cisco WLAN Deployments**

**Enclosure Solutions for the Cisco 1252 Access Point (802.11n)**




Cisco 1252 AP—The Cisco Aironet 1250 Series access point is the industry’s first business-class access point to be Wi-Fi 802.11n draft 2.0 certified. It provides reliable and predictable WLAN coverage to improve the end-user experience for both existing 802.11a/b/g clients and new 802.11n clients. The access point enables businesses to augment throughput for high-bandwidth wireless applications, ensure investment protection and increase network reliability for mission-critical business applications.



XPS1252-14-L

14x12x6 Polycarbonate Enclosure with Solid Door and Latch Locks—Includes the Cisco 1252 Access Point



XPC1252-12-C

12x10x6 Polycarbonate Enclosure with Clear Door and CAT60 Lock—Includes the Cisco 1252 Access Point

**Complete Cisco 1252 Access Point Enclosure Solutions**

TESSCO SKU	TerraWave SKU*	List Price	Dimensions	Enclosure Type	Door	NEMA Rating*	Holes for Jumpers	Indoor	Outdoor	Fan	Heat	Type of Lock
352422	XPC1252-14-L	\$1,682.90	14"x12"6"	Polycarbonate	Clear	NEMA 4X	6	Yes	Yes	No	No	Latch
382509	XPC1252-14-C	\$1,735.05	14"x12"6"	Polycarbonate	Clear	NEMA 4X	6	Yes	Yes	No	No	CAT60
332805	XPS1252-14-L	\$1,676.05	14"x12"6"	Polycarbonate	Solid	NEMA 4X	6	Yes	Yes	No	No	Latch
372235	XPS1252-14-C	\$1,728.20	14"x12"6"	Polycarbonate	Solid	NEMA 4X	6	Yes	Yes	No	No	CAT60
302011	XPC1252-12-L	\$1,623.55	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	6	Yes	Yes	No	No	Latch
312305	XPC1252-12-C	\$1,675.55	12"x10"x6"	Polycarbonate	Clear	NEMA 4X	6	Yes	Yes	No	No	CAT60
332258	XPS1252-12-L	\$1,618.20	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	6	Yes	Yes	No	No	Latch
322041	XPS1252-12-C	\$1,670.20	12"x10"x6"	Polycarbonate	Solid	NEMA 4X	6	Yes	Yes	No	No	CAT60

\*All TerraWave enclosures have been modified to be deployed in Wi-Fi/WLAN applications

\*\* NEMA rating of enclosure only—before modifications and additions

Please note that each enclosure solution is delivered with its select Cisco AP or bridge and jumpers. For details and images of each solution, visit [www.terrawave.com](http://www.terrawave.com).



## Cisco and TerraWave Solutions NEMA Enclosure Solutions for Cisco WLAN Deployments

### **About TerraWave Solutions and the Cisco Solutions Technology Integrator Agreement**

As a Cisco Solutions Technology Integrator (STI), TerraWave Solutions offers tailored NEMA rated enclosures to house Cisco wireless technology.

TerraWave's NEMA enclosures are specifically designed to protect Cisco's Wireless LAN (WLAN) products from environmental threats such as heat, cold, dust and rain as well as theft and tampering. TerraWave's Wi-Fi NEMA rated enclosures are used in vertical markets where the protection and enhancement of a Cisco 802.11 deployment is crucial including, education, government, military, healthcare, hospitality, transportation, retail, commercial, manufacturing, distribution and office buildings.

TerraWave Solutions strength as an experienced Wi-Fi solution provider ensures that customers receive Cisco's quality WLAN technologies along with TerraWave's unrivaled value added consulting and support services.

### **About TerraWave Solutions**

TerraWave Solutions offers Wi-Fi accessories and infrastructure solutions to partners throughout the world. Focusing solely on 802.11 products, TerraWave manufactures, integrates and supplies Wi-Fi components based on the unique requirements of every client. Providing partners with custom Wi-Fi solutions that address every aspect of wireless LAN deployment in the enterprise, TerraWave's unrivaled wireless networking knowledge and comprehensive line of leading-edge products means our partners receive complete solutions needed to deploy, manage and secure a wireless network. Additionally, TerraWave's engineers provide high-caliber tech support, consulting, training, integration, staging and set-up.

### **Contact Us**

TerraWave's corporate headquarters are located in San Antonio, Texas. For more information on Cisco and TerraWave's NEMA enclosures for Cisco WLAN deployments, please contact a TerraWave wireless networking solutions sales engineer at 210-375-8482, 800-851-4965, [sales@terrawave.com](mailto:sales@terrawave.com) or visit [www.terrawave.com](http://www.terrawave.com).



TerraWave Solutions is a Cisco Solution Technology Integrator